

**Application**

Recessed ceiling luminaire designed with an efficient hybrid optical system that makes use of a silicone optical lens and precise reflector for maximum glare suppression. Designed for trimless installations, this luminaire provides a very clean ceiling appearance.

**Materials**

- Synthetic recessed ceiling installation housing
- Die-cast aluminum housing
- Reflector made of pure anodized aluminum
- Clear safety glass
- Silicone optic
- Metal ceiling trim ring, painted white

**NRTL** listed to North American Standards, suitable for damp locations  
Weight: 1.8lbs

**Electrical**


Operating voltage	120-277VAC
Minimum start temperature	-20° C
LED module wattage	11.5 W
System wattage	15.0 W
Controllability	0-10V dimming down to 0.1%
Color rendering index	Ra > 90
Luminaire lumens	1497 lumens (4000K)
LED service life (L70)	60,000 hours

**LED color temperature**

- 4000K - Product number + **K4**
- 3500K - Product number + **K35**
- 3000K - Product number + **K3**
- 2700K - Product number + **K27**

**BEGA** can supply you with suitable LED replacement modules for up to 20 years after the purchase of LED luminaires - see website for details.

Type:  
BEGA Product:  
Project:  
Modified:



**Recessed downlight · Wide beam**

	LED	$\beta$	A	B
<b>50381</b>	11.5 W	34°	5 1/8"	4"

$\beta$ = Beam angle

**BEGA** 1000 BEGA Way, Carpinteria, CA 93013 (805) 684-0533 info@bega-us.com

