

Application

LED technology and our own LED module production facilities enable us to pursue new avenues of luminaire design and to develop distinctive luminaires in special sizes. This seamless design presents new and creative options in many areas of interior design.

Materials

- Luminaire housing made of aluminum
- Light-diffusing synthetic luminaire cover
- Die-cast and extruded aluminum housing
- Steel wire suspension

NRTL listed to North American Standards, suitable for damp locations
Weight: 7.1 lbs

Electrical

- Operating voltage120-277VAC
- Minimum start temperature-20° C
- LED module wattage50.0 W
- System wattage61.0 W
- Controllability0-10V dimmable
- Color rendering indexRa > 90
- Luminaire lumens6,339 lumens (4000K)
- LED service life (L70)60,000 hours

LED color temperature


- 4000K - Product number + **K4**
- 3500K - Product number + **K35**
- 3000K - Product number + **K3**
- 2700K - Product number + **K27**

BEGA can supply you with suitable LED replacement modules for up to 20 years after the purchase of LED luminaires - see website for details

Finish

Select the desired material finish by using appropriate code number as suffix.

- | | | |
|--------------------|----------------|-----------------------|
| Available finishes | White | Code number .1 |
| | Matte aluminum | Code number .2 |



LINEARA · Pendant luminaire				
	LED	A	B	C
50400	50.0 W	40 1/4	3 1/8	78 3/4

Type:
BEGA Product:
Project:
Modified:

