


BEGA

Photometric Filename: 24228.IES

TEST: BE_24228
TEST LAB: BEGA
DATE: 1/4/2017
LUMINAIRE: 24 228
LAMP: 28.1W LED




Characteristics


Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	3331
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	104
Total Luminaire Watts	32
Ballast Factor	1.00
CIE Type	Semi-Direct
Spacing Criterion (0-180)	1.26
Spacing Criterion (90-270)	1.26
Spacing Criterion (Diagonal)	1.40
Basic Luminous Shape	Circular w/ Sides
Luminous Length (0-180)	0.00 ft
Luminous Width (90-270)	1.51 ft (Diameter)
Luminous Height	0.26 ft

Zonal Lumen Summary

Zone	Lumens
0-10	91.36
10-20	261.79
20-30	397.61
30-40	481.48
40-50	503.35
50-60	462.15
60-70	367.43
70-80	243.30
80-90	130.77
90-100	61.94
100-110	39.90
110-120	43.88
120-130	51.76
130-140	56.20
140-150	54.41
150-160	46.07
160-170	29.79
170-180	7.84



Ceiling Mount - Isofootcandle Grid on Floor
Mounting Height = 10 ft. Grid Spacing = 10 ft.



Wall Mount - Isofootcandle Grid on Floor
Mounting Height = 10 ft. Grid Spacing = 10 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

BEGA 1000 Bega Way, Carpinteria, CA 93013 (805)684-0533 Fax (805)566-9474 www.bega-us.com © Copyright BEGA-US 2018

5/15/2018