



# BEGA

Photometric Filename: 24823.ies

TEST: BE\_24823  
TEST LAB: BEGA  
DATE: 5/30/2017  
LUMINAIRE: 24 823  
LAMP: 8.1W LED




## Characteristics


NEMA Type	4 H x 4 V
Maximum Candela	2720
Maximum Candela Angle	0 H 0 V
Horizontal Beam Angle (50%)	37.9
Vertical Beam Angle (50%)	37.9
Horizontal Field Angle (10%)	65.5
Vertical Field Angle (10%)	65.5
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	693
Beam Efficiency	N.A.
Field Lumens	1094
Field Efficiency	N.A.
Spill Lumens	126
Luminaire Lumens	1221
Total Efficiency	N.A.
Total Luminaire Watts	10

## Zonal Lumen Summary

Zone	Lumens
0-10	240.47
10-20	495.55
20-30	306.70
30-40	128.99
40-50	33.15
50-60	11.76
60-70	1.39
70-80	0.21
80-90	0.08
90-100	0.00
100-110	0.00
110-120	0.00
120-130	0.00
130-140	0.00
140-150	0.00
150-160	0.00
160-170	0.00
170-180	0.00



Mouting Height = 15 ft. Grid Spacing = 5 ft.



In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

BEGA 1000 Bega Way, Carpinteria, CA 93013 (805)684-0533 Fax (805)566-9474 www.bega-us.com © Copyright BEGA-US 2018

1/17/2018