


# BEGA

Photometric Filename: 24827.ies

TEST: BE\_24827  
TEST LAB: BEGA  
DATE: 4/27/2017  
LUMINAIRE: 24 827  
LAMP: 24.1W LED




## Characteristics


NEMA Type	4 H x 4 V
Maximum Candela	9123.1
Maximum Candela Angle	0 H 0 V
Horizontal Beam Angle (50%)	29.7
Vertical Beam Angle (50%)	29.7
Horizontal Field Angle (10%)	60.0
Vertical Field Angle (10%)	60.0
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	1445
Beam Efficiency	N.A.
Field Lumens	2645
Field Efficiency	N.A.
Spill Lumens	394
Luminaire Lumens	3039
Total Efficiency	N.A.
Total Luminaire Watts	28

## Zonal Lumen Summary

Zone	Lumens
0-10	422.49
10-20	638.18
20-30	354.72
30-40	151.81
40-50	36.45
50-60	13.82
60-70	0.57
70-80	0.00
80-90	0.00
90-100	0.00
100-110	0.00
110-120	0.00
120-130	0.00
130-140	0.00
140-150	0.00
150-160	0.00
160-170	0.00
170-180	0.00



Mouting Height = 15 ft. Grid Spacing = 5 ft.



In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

BEGA 1000 Bega Way, Carpinteria, CA 93013 (805)684-0533 Fax (805)566-9474 www.bega-us.com © Copyright BEGA-US 2018

1/17/2018