


BEGA

Photometric Filename: 50062.IES

TEST: LI_50062
TEST LAB: BEGA
DATE: 9/26/2018
LUMINAIRE: 50062.X
LAMP: 25W LED




Characteristics

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	2348
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	78
Total Luminaire Watts	30
Ballast Factor	1.00
CIE Type	General Diffuse
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Circular w/ Sides
Luminous Length (0-180)	0.00 ft
Luminous Width (90-270)	0.72 ft (Diameter)
Luminous Height	0.33 ft

Zonal Lumen Summary

Zone	Lumens
0-10	30.02
10-20	89.21
20-30	145.02
30-40	194.08
40-50	226.99
50-60	230.32
60-70	212.50
70-80	164.87
80-90	110.69
90-100	118.74
100-110	172.67
110-120	267.53
120-130	222.34
130-140	96.23
140-150	42.62
150-160	18.00
160-170	5.75
170-180	0.54



Mounting Height = 10 ft. Grid Spacing = 10 ft.

In the interest of product improvement, BEGA reserves the right to make technical changes without notice.

BEGA 1000 Bega Way, Carpinteria, CA 93013 (805)684-0533 Fax (805)566-9474 www.bega-us.com © Copyright BEGA-US 2018

9/26/2018