


BEGA

Photometric Filename: 50146.IES

TEST: LI_50146
TEST LAB: BEGA
DATE: 6/17/2016
LUMINAIRE: 50 146
LAMP: 25.2W LED




Characteristics


Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	2475
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	85
Total Luminaire Watts	29
Ballast Factor	1.00
CIE Type	General Diffuse
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.16 ft
Luminous Width (90-270)	0.76 ft
Luminous Height	0.00 ft

Zonal Lumen Summary

Zone	Lumens
0-10	87.63
10-20	199.29
20-30	225.53
30-40	217.57
40-50	193.39
50-60	153.03
60-70	102.46
70-80	51.42
80-90	11.16
90-100	10.68
100-110	49.52
110-120	100.09
120-130	151.11
130-140	193.29
140-150	219.23
150-160	227.13
160-170	197.75
170-180	85.05



Mounting Height = 10 ft. Grid Spacing = 10 ft.
Isofootcandle grid on floor



Grid Spacing = 5 ft.
Isofootcandle grid on wall