

Application

Bollard tubes without any additional components form the basic tubes of the BEGA system bollards. Provided with mounting system that allows the luminaire to be adjusted independent of the anchor bolt orientation.

Materials

Bollard tube and base plate constructed of extruded and die-cast marine grade, copper free (≤0.3% copper content) A360.0 aluminum alloy
Cast aluminum wiring box for electrical connections internal to tube
5-conductor cable with quick connect for attachment to BEGA system bollard head
Mechanically captive stainless steel fasteners
Anchorage constructed of galvanized steel

NRTL listed to North American Standards, suitable for wet locations
Weight: 13.0lbs

Finish

All BEGA standard finishes are matte, textured polyester powder coat with minimum 3 mil thickness.

Available colors	Black (BLK)	White (WHT)	RAL:
	Bronze (BRZ)	Silver (SLV)	CUS:

Type:
BEGA Product:
Project:
Modified:

Compatible bollard head (select one)


- 84 683 Unshielded with safety guard
- 99 727 Unshielded
- 99 776 Unshielded with safety guard - 180°
- 99 765 Unshielded with safety guard - 360°
- 99 857 Shielded with reflector - 180°
- 99 856 Shielded with reflector - 360°
- 99 862 Shielded
- 99 622 Shielded
- 71 127 Non-illuminated cap

See individual bollard head spec sheet for details.

Available accessories

- 70 896 Direct burial anchorage

See individual accessory spec sheet for details.



System bollard tube · with access door · height 32 1/8

	Door	A	B	Anchorage
99 622	✓	7 1/2	32 1/8	79 818

